


Haricharan A. [2025]. International Journal of Medical Justice, IJMJ, Volume 3, Issue : January-June 2025 [E-ISSN: 2583-7958] International ISSN [CIEPS]: 3006-208X[Print] 3006-2098[Online]



Content list Available at [ijmj.net](http://ijmj.net)

## International Journal of Medical Justice

Journal Homepage: <https://www.ijmj.net>



### Review Article: Forensic Microbiology: A Comprehensive Review

Haricharan A. 1, Jeevithan S. 2, Gurudatta Sadashiv Pawar 3, Georgina George 4, Harikaran A. 5,

1, 2 Assistant Professor, 3 Professor and Head, 5 Tutor, Department of Forensic Medicine and Toxicology, Aarupadai Veedu Medical College and Hospital, Puducherry.

4 Senior Resident, Department of Forensic Medicine and Toxicology, JIPMER ( Jawaharlal Institute of Post Graduate Medical Education and Research ), Karaikal.

#### Article History:

Date of Submission: Monday June 2, 2025.

Date of Start of Review Process: Tuesday June 3, 2025.

Date of Receipt of Reviewers Report: Tuesday June 3, 2025.

Date of Revision: Sunday June 15, 2025.

Date of Acceptance: Sunday June 15, 2025

Date of Publication: Monday June 30, 2025.

Digital Object Identifier [DOI]: [10.5281/zenodo.15721831](https://doi.org/10.5281/zenodo.15721831)

Available Online: Sunday June 15, 2025.

Website Archive: <https://www.ijmj.net/archive/2025/1/IJMJ-2025-331.pdf>

Citation: 1. Haricharan A, Jeevithan S, Gurudatta SP, Georgina G, Harikaran A, Sunil Kumar D. Forensic Microbiology: A Comprehensive Review. Vol. 3, International Journal of Medical Justice. Zenodo; 2025 Jun p. 56-64.

Indexing:  OpenAIRE,  INTERNATIONAL Scientific Indexing,  LetPub,  INDEX COPERNICUS INTERNATIONAL, 

Academic Editor: Dr Sunil Kumar Dahiya

#### Correspondence:

Dr. A. Haricharan,

Assistant Professor, Department of Forensic Medicine and Toxicology, Aarupadai Veedu Medical College and Hospital, Puducherry - 607402.

Email: [haricharanpr@gmail.com](mailto:haricharanpr@gmail.com) ORCID: 0000-0002-4330-0527

**Abstract:** Forensic microbiology merges microbiology and forensic science to support legal inquiries. It centers on the identification and analysis of microbial communities linked to human remains, environments, or objects. Its uses include estimating postmortem intervals, detecting bioterrorism, and identifying suspects. The advancement of molecular biology techniques, such as metagenomics and next-generation sequencing, has enhanced the importance of forensic microbiology, particularly in challenging cases involving skeletal or heavily decomposed remains [1]. Microbial signatures are unique to individuals and environments, allowing their use as forensic trace evidence[2]. These signatures are shaped by ecological, geographic, and physiological factors, offering specificity in linking evidence to people or places[3]. This review presents a comprehensive overview of methodologies, applications, and significant developments in forensic microbiology, while also discussing limitations and future directions (4).

**Key words:** Microbiology, fungus, virus, Forensic, trace.

**Introduction:** The convergence of microbiology with forensic science has given rise to forensic microbiology, a field that seeks to extract legal information from microbial evidence. It addresses challenges in criminal investigations by identifying microbial patterns that develop on or around human remains, in environments, and on forensic evidences [5]. Unlike conventional forensic tools, which often rely on physical or chemical markers, forensic microbiology taps into the dynamic diversity of microorganisms. The human body, for instance, harbours a vast array of microbes that undergo predictable changes following death [6]. These successional shifts allow investigators to estimate the time since death or detect body relocation [7]. One of the earliest high-profile applications of this discipline was during the investigation of the **2001 anthrax attacks in the United States**, where microbial fingerprinting successfully traced the origin of *Bacillus*

anthracis [8]. The incorporation of high-throughput sequencing and computational tools has further enhanced microbial profiling, making it a powerful tool for forensic science[9].

**Reviews:** The evolution of forensic microbiology is underpinned by numerous studies that established its value in criminal investigations. Some of the studies mentioned in Table 1 [Please refer to Table 1 here] Collectively, these studies validate the forensic potential of microbial evidence, which can be employed for PMI estimation, personal identification, and bio-criminal investigations.

#### **Postmortem Microbial Succession**

Microbial succession following death refers to the orderly and predictable changes in microbial populations as decomposition progresses. This phenomenon is now recognized as a biological clock for estimating PMI. In the early "fresh" stage, the body is colonized primarily by aerobic bacteria from the skin, gut, and surrounding environment<sup>20</sup>. As decomposition enters the bloated and active decay phases,

anaerobic bacteria [19] like **Clostridium spp.** Become dominant due to the oxygen-depleted environment<sup>21</sup>. Studies have systematically catalogued these microbial transitions using metagenomic analyses of body sites such as the mouth, rectum, and skin [22].

Environmental factors like ambient temperature, humidity, and soil contact affect microbial succession, yet core patterns remain consistent across different bodies and settings [23]. Recent advancements include the use of machine learning to model and predict these microbial shifts with high accuracy, as demonstrated by Javan et al. [24]. When microbial data is combined with entomological evidence and chemical profiling, investigators gain a more robust estimate of PMI[25]. Thus, microbial succession has become a critical element in postmortem investigations.

#### **Soil and Environmental Microbiomes in Forensics**

Soil microbiomes, due to their spatial specificity, are a

valuable tool for geographic origin estimation in forensic investigations. When a body decomposes, it releases nutrients and microbes into the soil, altering the local microbial ecology[13]. These changes are site-specific and can help determine the PMI or indicate if a corpse has been relocated [11]. Comparing microbial DNA from crime scenes with that found on a suspect's shoes or tools can provide evidence of presence or contact[15].

The identification of microbial DNA from soil using techniques like **16S rRNA** gene sequencing has proven effective in matching crime scene soils with samples from specific regions[23]. In addition to terrestrial ecosystems, aquatic microbiomes can indicate whether drowning occurred in a specific water body, while airborne microbial communities can help track exposure or geographic origin in certain bio-crime scenarios [20]. Though environmental variability remains a challenge, methodological consistency and advanced analytical tools ensure forensic reliability[19]. The

expanding scope of environmental microbiomes is enhancing their use in global forensic practices.

#### **Human Microbiome as Forensic Evidence:**

The human microbiome, comprising microbial communities on and inside the body, offers a unique biological fingerprint for forensic investigations. Shaped by diet, hygiene, environment, and genetics, an individual's microbiome is remarkably specific, allowing for personal identification through microbial profiling [6]. Skin microbiota can be transferred to touched objects and persist long after contact, making them valuable as microbial trace evidence[5].

Research has shown that these microbial signatures can survive even after conventional cleaning methods, retaining forensic value[15]. The oral and gut microbiomes are also being explored for identity verification, especially in cases where DNA is compromised due to heat, moisture, or degradation[14]. In infectious disease-related deaths, microbiome analysis may assist

in determining the cause of death[9]. Although legal challenges such as reproducibility and evidentiary standards persist, the field is supported by large reference datasets like those from the Human Microbiome Project[16]. Thus, human microbiomes are increasingly accepted as individualized forensic markers.

#### **Forensic Applications in Bioterrorism and Biocrime:**

Microbial forensics has become an indispensable tool in identifying and investigating acts of bioterrorism and crimes. The 2001 anthrax attacks in the United States marked a defining moment for the field, where scientists traced the *Bacillus anthracis* strain back to a specific laboratory using genome sequencing and MLVA (Multiple-Locus Variable-Number Tandem Repeat Analysis) [8,9]. These techniques established microbial forensics as essential for national security.

The field also plays a crucial role in distinguishing between natural outbreaks and deliberate releases of pathogens, particularly in cases involving

emerging infectious diseases[17]. To support rapid identification, forensic labs now maintain databases of pathogenic microbial genomes and agent libraries<sup>25</sup>. Programs like the FBI's BioWatch and the European Union's Microbiome Forensic Network reflect the global initiative toward biothreat preparedness<sup>12</sup>. The integration of epidemiology, genomics, and forensics ensures a robust response to crimes, highlighting the strategic importance of forensic microbiology in maintaining public health and safety.

**Discussion:** The findings from diverse global research affirm forensic microbiology as a transformative field within forensic science. Microbial evidence extends the investigative toolkit by enabling PMI estimation, corpse tracking, and even suspect identification in scenarios where traditional evidence is degraded or unavailable[6,13,15]. However, challenges remain. These include environmental variability, difficulties in contamination control, and the current absence

of universally accepted forensic microbial protocols<sup>18,23</sup>. Despite these issues, advances in sequencing technologies and the integration of artificial intelligence have significantly enhanced accuracy and usability[24].

Importantly, courts are beginning to recognize microbial evidence, although its admissibility often hinges on expert testimony and validation studies[17]. Interdisciplinary collaborations among forensic pathologists, microbiologists, bioinformaticians, and legal experts are critical for refining standards and ensuring robust application. As scientific and legal frameworks continue to evolve, forensic microbiology is expected to become a core component of death investigations and biosecurity responses[10,25].

**Conclusion:** Forensic microbiology represents a rapidly expanding frontier in forensic science, offering precise and often non-invasive solutions to complex legal cases. By leveraging the diversity and specificity of

microbial communities, investigators can estimate PMIs, link individuals to crime scenes, and respond effectively to bioterrorism threats. The integration of metagenomics, machine learning, and large-scale databases has significantly elevated the discipline's capabilities. Although challenges such as legal admissibility and environmental variability persist, ongoing innovations and international cooperation are addressing these hurdles. As forensic microbiology matures, it promises to redefine the standards of evidence in modern criminal justice systems, ensuring more accurate and holistic approaches to solving crime.

**Ethical Clearance:** Not required.

**Conflict of Interest:** There are no conflicts of interest to declare.

**Funding agency:** Nil.

## References

1. Budowle B, et al. Microbial Forensics: The Next Forensic Challenge. *Int J Legal Med.* 2003;117(3):107-12.

2. Metcalf JL, et al. Microbial community assembly and metabolic function during mammalian corpse decomposition. *Science*. 2016;351(6269):158-62.
3. Fierer N, et al. Forensic identification using skin bacterial communities. *PNAS*. 2010;107(14):6477-81.
4. Carter DO, et al. Forensic microbiology. *Forensic Sci Int*. 2015;239:86-91.
5. Lax S, et al. Longitudinal analysis of microbial interaction between humans and the indoor environment. *Science*. 2014;345(6200):1048-52.
6. Turnbaugh PJ, et al. The human microbiome project. *Nature*. 2007;449(7164):804-10.
7. Hyde ER, et al. The living dead: bacterial community structure of a cadaver at the onset and end of bloat stage of decomposition. *PLoS One*. 2013;8(10):e77733.
8. Jernigan DB, et al. Investigation of bioterrorism-related anthrax, United States, 2001. *Emerg Infect Dis*. 2002;8(10):1019-28.
9. Schmedes SE, et al. Forensic Human Identification Using Skin Microbiomes. *Appl Environ Microbiol*. 2017;83(22):e01672-17.
10. Keim P, et al. Anthrax molecular epidemiology and forensic microbiology: using the appropriate markers. *Emerg Infect Dis*. 2004;10(7):1185-92.
11. Cobaugh KL, et al. Microbial communities and ecological succession in soil. *Appl Soil Ecol*. 2015;87:68-76.
12. Pechal JL, et al. Microbial community functional change during vertebrate carrion decomposition. *PLoS One*. 2013;8(11):e79035.
13. Damann FE, et al. Inter-kingdom relationships in decomposition. *Forensic Sci Int*. 2015;258:24-32.
14. Campobasso CP, et al. Postmortem interval estimation based on microbial succession. *Forensic Sci Int*. 2009;193(1-3):24-8.
15. Habtom HT, et al. Soil microbial fingerprints as a forensic tool. *J Forensic Sci*. 2019;64(1):214-20.

16. Lloyd-Price J, et al. The healthy human microbiome. Cell. 2016;165(4):842-54.
17. Budowle B, et al. Quality Assurance and Guidelines for Microbial Forensics. Appl Environ Microbiol. 2005;71(5):2209-13.
18. Burcham ZM, et al. Comparing the skin microbiomes of forensic evidence and individuals. Forensic Sci Int Genet. 2020;45:102210.
19. Carter DO, et al. Postmortem microbiology. Forensic Sci Med Pathol. 2010;6(2):104-15.
20. Gupta A, et al. Aquatic microbiomes and forensic implications. Forensic Sci Int. 2017;278:15-22.
21. Pechal JL, et al. The potential use of bacterial community succession in forensic science. Int J Legal Med. 2014;128(1):193-205.
22. Damann FE, et al. Cadaver decomposition and soil microbiology. J Forensic Res. 2012;3(9):1000165.
23. Forbes SL, et al. Decomposition chemistry in a burial environment. PLoS One. 2013;8(11):e79211.
24. Javan GT, et al. Microbial Clock and Machine Learning in PMI Estimation. Forensic Sci Int. 2016;266:388-96.
25. Schutzer SE, et al. The 2001 anthrax attacks: forensic microbiology. Science. 2002;296(5568):1976-9.

**Disclaimer/Publisher's Note:** The statements, viewpoints, and data presented in this publication are exclusively those of the respective author(s) and contributor(s), and do not reflect the position of IJMJ and/or the editor(s). IJMJ and/or the editor(s) expressly reject any liability for any harm to individuals or property arising from any innovations, concepts, methodologies, guidelines, conclusions, or products mentioned in the content.

**Copyright Policy :** All articles published in the International Journal of Medical Justice (IJMJ) are licensed under the Creative Commons Attribution 4.0 International License (CC BY 4.0). Authors retain copyright of their work and grant IJMJ the right of first publication. Under the CC BY 4.0 license, others may share, adapt, distribute, and build upon the work for any purpose, provided appropriate credit is given to the original authors.



**Table 1**

S.no.	Author(s)	Year	Key Contribution	Forensic Relevance
1	Budowle et al <sup>8</sup> .	2001	Established foundational principles of microbial forensics post-anthrax attacks.	Defined protocols for bio-agent detection, evidence preservation, and forensic use.
2	Metcalf et al <sup>2</sup> .	2013	Introduced the "microbial clock" concept using DNA sequencing during decomposition.	Enabled accurate postmortem interval (PMI) estimation through microbial succession.
3	Hyde et al <sup>7</sup> .	N/A	Investigated bacterial community shifts from onset to end of the bloat stage.	Reinforced consistency in microbial succession patterns relevant for PMI.
4	Fierer et al <sup>3</sup> .	2010	Demonstrated individual-specific skin microbiota persistence on surfaces.	Supported suspect-object associations via microbial trace evidence.
5	Turnbaugh et al <sup>6</sup> . (Human Microbiome Project)	2007	Provided a comprehensive dataset of healthy human microbiota.	Created baseline references for differentiating postmortem or pathological changes.
6	Cobaugh et al <sup>11</sup> .	2015	Analyzed soil microbial shifts beneath decomposing corpses.	Aided PMI estimation and detection of corpse relocation.
7	Pechal et al <sup>24</sup> .	2014	Tracked reproducible evolution of cadaver microbiomes.	Highlighted predictable microbial changes as forensic markers.
8	Javan et al <sup>24</sup> .	2016	Applied machine learning to microbiome data for enhancing PMI predictions.	Improved accuracy and applicability of microbial forensics in criminal investigations.